



Find:

Searching for **(mac address) and (serial number)**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)
[Google \(Web\)](#) [CSB](#) [DBLP](#)

5 documents found. Order: number of citations.

Distributing Identity - Published In leee (Correct)

or an identifier such as the so-called **MAC address**, a unique number associated with each Ethernet
Dallas Semiconductor in fact sells a "silicon **serial number**" for a around \$1 in large quantities) that
web.media.mit.edu/~jrs/distid.pdf

Pentium III Processor Serial Number Feature and - Applications Stephen Fischer (Correct)

a variety of methods, including user name, **MAC address**, IP address, and GUID to identify hardware.
Pentium III Processor **Serial Number** Feature and Applications 1 Pentium III
developer.intel.com/technology/itj/q21999/articles/./pdf/serial_number.pdf

Applied Information Security for m-Commerce and Digital.. - Katzenbeisser, Tomsich (Correct)

name of the manufacturer and a **serial number** or **MAC address**)Furthermore, every user possesses a
containing the name of the manufacturer and a **serial number** or **MAC address**)Furthermore, every user
www.dbai.tuwien.ac.at/staff/katzenb/download/ecweb01.ps.gz

Distributed Protocols for ID Assignment - Joshua Smith Jrs (Correct)

or an identifier such as the so-called **MAC address**, a unique number associated with each Ethernet
Dallas Semiconductor in fact sells a "silicon **serial number**" for a around \$1 in large quantities) that
hyaku.www.media.mit.edu/~jrs/distid.ps

Self Organizing Device Networks - Joshua Smith (Correct)

randomness, or a unique ID such as the Ethernet **MAC address** that can seed a pseudo-random number
Dallas Semiconductor in fact sells a "silicon **serial number** "for a around \$1 in large quantities) that
www.media.mit.edu/physics/publications/papers/selforg.ps

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - Copyright [NEC](#) and [IST](#)